

Contents of *Aquaculture*, Volume 254

VOL. 254 NOS. 1–4

28 April 2006

Diseases

- Residues of enrofloxacin, furazolidone and their metabolites in Nile tilapia (*Oreochromis niloticus*)
W. Xu, X. Zhu, X. Wang, L. Deng and G. Zhang (Guangzhou, Qingdao, Beijing, China) 1
- Stimulation of turbot phagocytes by *Ulva rigida* C. Agardh polysaccharides
R. Castro, M.C. Piazzon, I. Zarra, J. Leiro, M. Noya and J. Lamas (Santiago de Compostela, Spain) 9
- Unusual sites of *Aggregata octopiana* infection in octopus cultured in floating cages
S. Pascual, A.F. González and A. Guerra (Vigo, Spain) 21
- Pharmacokinetics of oxytetracycline in black tiger shrimp, *Penaeus monodon*, and the effect of cooking on the residues
K. Uno, T. Aoki (Aichi, Mie, Japan), W. Kleechaya, V. Tanasomwang and L. Ruangpan (Samut Sakhon, Chanthaburi, Thailand) 24
- Antioxidant and membrane bound enzymes activity in WSSV-infected *Penaeus monodon* Fabricius
P. Rameshthangam and P. Ramasamy (Tamil Nadu, India) 32
- An epizootic and its decline of a blood fluke, *Cardicola forsteri*, in farmed southern bluefin tuna, *Thunnus maccoyii*
H.M. Aiken, C.J. Hayward (Port Lincoln, South Australia, Australia) and B.F. Nowak (Port Lincoln, South Australia, Australia; Launceston, Tas., Australia) 40
- Early vaccination and protection of Atlantic cod (*Gadus morhua* L.) juveniles against classical vibriosis
M.B. Schröder, H. Mikkelsen, S. Børdal, K. Gravningen and V. Lund (Tromsø, Oslo, Norway) 46
- Environmental determinants of haemal lordosis in European sea bass, *Dicentrarchus labrax* (Linnaeus, 1758)
D.G. Sfakianakis, E. Georgakopoulou, I.E. Papadakis, P. Divanach, M. Kentouri and G. Koumoundouros (Crete, Rio, Greece) ... 54
- Effects of symmetric triazinone (toltrazuril) on developmental stages of *Enteromyxum scophthalmi* parasitizing turbot (*Scophthalmus maximus* L.): A light and electron microscopic study
R. Bermúdez, N. Alemañ (Lugo, Spain), F. Vigliano (Lugo, Spain; Casilda, Argentina), S. Vázquez, M.I. Quiroga and J.M. Nieto (Lugo, Spain) 65
- Juvenile growth and susceptibility to *Aeromonas salmonicida* subsp. *salmonicida* in Atlantic salmon (*Salmo salar* L.) of farmed, hybrid and wild parentage
K.A. Glover, Ø. Bergh, H. Rudra and Ø. Skaala (Bergen, Norway) 72
- Size-dependent susceptibility to infectious salmon anemia virus (ISAV) in Atlantic salmon (*Salmo salar* L.) of farm, hybrid and wild parentage
K.A. Glover, C. Skår, K.E. Christie, J. Glette, H. Rudra and Ø. Skaala (Bergen, Norway) 82
- Rapid detection of white sturgeon iridovirus (WSIV) using a polymerase chain reaction (PCR) assay
K.T. Kwak, I.A. Gardner, T.B. Farver and R.P. Hedrick (Davis, CA, USA) 92
- Copper sulfate treatment decreases hatchery mortality of larval white seabass *Atractosteomus nobilis*
M.F. Chen (Olympia, WA, USA), J.A. Apperson (Lake Buena Vista, FL, USA), G.D. Marty (Davis, CA, USA) and Y.W. Cheng (Olympia, WA, USA) 102
- An inhibitory substance produced by *Aeromonas media* A199, an aquatic probiotic
M.J. Lategan, W. Booth, R. Shimmon and L.F. Gibson (St. Leonards, New South Wales, Australia) 115
- Activity of bronopol (Pyceze®) against bacteria cultured from eggs of halibut, *Hippoglossus hippoglossus* and cod, *Gadus morhua*
T.H. Birkbeck, H.I. Reid (Scotland, UK), B. Darde (Brest, France) and A.N. Grant (Inverness-shire, UK) 125

Contents of *Aquaculture*, Volume 254

VOL. 254 NOS. 1–4

28 April 2006

Diseases

- Residues of enrofloxacin, furazolidone and their metabolites in Nile tilapia (*Oreochromis niloticus*)
W. Xu, X. Zhu, X. Wang, L. Deng and G. Zhang (Guangzhou, Qingdao, Beijing, China) 1
- Stimulation of turbot phagocytes by *Ulva rigida* C. Agardh polysaccharides
R. Castro, M.C. Piazzon, I. Zarra, J. Leiro, M. Noya and J. Lamas (Santiago de Compostela, Spain) 9
- Unusual sites of *Aggregata octopiana* infection in octopus cultured in floating cages
S. Pascual, A.F. González and A. Guerra (Vigo, Spain) 21
- Pharmacokinetics of oxytetracycline in black tiger shrimp, *Penaeus monodon*, and the effect of cooking on the residues
K. Uno, T. Aoki (Aichi, Mie, Japan), W. Kleechaya, V. Tanasomwang and L. Ruangpan (Samut Sakhon, Chanthaburi, Thailand) 24
- Antioxidant and membrane bound enzymes activity in WSSV-infected *Penaeus monodon* Fabricius
P. Rameshthangam and P. Ramasamy (Tamil Nadu, India) 32
- An epizootic and its decline of a blood fluke, *Cardicola forsteri*, in farmed southern bluefin tuna, *Thunnus maccoyii*
H.M. Aiken, C.J. Hayward (Port Lincoln, South Australia, Australia) and B.F. Nowak (Port Lincoln, South Australia, Australia; Launceston, Tas., Australia) 40
- Early vaccination and protection of Atlantic cod (*Gadus morhua* L.) juveniles against classical vibriosis
M.B. Schröder, H. Mikkelsen, S. Børdal, K. Gravningen and V. Lund (Tromsø, Oslo, Norway) 46
- Environmental determinants of haemal lordosis in European sea bass, *Dicentrarchus labrax* (Linnaeus, 1758)
D.G. Sfakianakis, E. Georgakopoulou, I.E. Papadakis, P. Divanach, M. Kentouri and G. Koumoundouros (Crete, Rio, Greece) ... 54
- Effects of symmetric triazinone (toltrazuril) on developmental stages of *Enteromyxum scophthalmi* parasitizing turbot (*Scophthalmus maximus* L.): A light and electron microscopic study
R. Bermúdez, N. Alemañ (Lugo, Spain), F. Vigliano (Lugo, Spain; Casilda, Argentina), S. Vázquez, M.I. Quiroga and J.M. Nieto (Lugo, Spain) 65
- Juvenile growth and susceptibility to *Aeromonas salmonicida* subsp. *salmonicida* in Atlantic salmon (*Salmo salar* L.) of farmed, hybrid and wild parentage
K.A. Glover, Ø. Bergh, H. Rudra and Ø. Skaala (Bergen, Norway) 72
- Size-dependent susceptibility to infectious salmon anemia virus (ISAV) in Atlantic salmon (*Salmo salar* L.) of farm, hybrid and wild parentage
K.A. Glover, C. Skår, K.E. Christie, J. Glette, H. Rudra and Ø. Skaala (Bergen, Norway) 82
- Rapid detection of white sturgeon iridovirus (WSIV) using a polymerase chain reaction (PCR) assay
K.T. Kwak, I.A. Gardner, T.B. Farver and R.P. Hedrick (Davis, CA, USA) 92
- Copper sulfate treatment decreases hatchery mortality of larval white seabass *Atractosteomus nobilis*
M.F. Chen (Olympia, WA, USA), J.A. Apperson (Lake Buena Vista, FL, USA), G.D. Marty (Davis, CA, USA) and Y.W. Cheng (Olympia, WA, USA) 102
- An inhibitory substance produced by *Aeromonas media* A199, an aquatic probiotic
M.J. Lategan, W. Booth, R. Shimmon and L.F. Gibson (St. Leonards, New South Wales, Australia) 115
- Activity of bronopol (Pyceze®) against bacteria cultured from eggs of halibut, *Hippoglossus hippoglossus* and cod, *Gadus morhua*
T.H. Birkbeck, H.I. Reid (Scotland, UK), B. Darde (Brest, France) and A.N. Grant (Inverness-shire, UK) 125

Enzootics of visceral granulomas associated with <i>Francisella</i> -like organism infection in tilapia (<i>Oreochromis</i> spp.) C.Y. Hsieh, M.C. Tung, C. Tu, C.D. Chang and S.S. Tsai (Pingtung, Taipei, Taiwan)	129
Genetics	
Estimates of heritability and genotype-environment interactions for body weight in sea bass (<i>Dicentrarchus labrax</i> L.) raised under communal rearing conditions E. Saillant, M. Dupont-Nivet, P. Haffray and B. Chatain (Palavas-les-Flots, Gravelines, Cedex, Rennes, France)	139
Genetic diversity and effective population size in mass selection lines of Pacific oyster (<i>Crassostrea gigas</i>) S.A. Appleyard and R.D. Ward (Hobart, Tas., Australia)	148
Identification and mapping of disease-resistance QTLs in the eastern oyster, <i>Crassostrea virginica</i> Gmelin Z. Yu (Port Norris, NJ, USA; Guangzhou, People's Republic of China) and X. Guo (Port Norris, NJ, USA)	160
Application of DNA parentage analyses for determining relative growth rates of <i>Penaeus japonicus</i> families reared in commercial ponds D.R. Jerry (Townsville, QLD, Australia), N.P. Preston, P.J. Crocos, S. Keys (Cleveland, QLD, Australia), J.R.S. Meadows and Y. Li (St. Lucia, QLD, Australia)	171
The use of alternative breeding schemes to enhance genetic improvement in rainbow trout (<i>Oncorhynchus mykiss</i>): I. One-stage selection V. Martinez (Santiago, Chile; King's Buildings Edinburgh, UK), A. Kause, E. Mäntysaari and A. Mäki-Tanila (Jokioinen, Finland)	182
The use of alternative breeding schemes to enhance genetic improvement in rainbow trout: II. Two-stage selection V. Martinez (Santiago, Chile; King's Buildings, United Kingdom), A. Kause, E. Mäntysaari and A. Mäki-Tanila (Jokioinen, Finland)	195
Identification of a single major genetic locus controlling the resistance to lymphocystis disease in Japanese flounder (<i>Paralichthys olivaceus</i>) K. Fuji, K. Kobayashi, O. Hasegawa (Tokyo, Kanagawa, Japan), M.R.M. Coimbra (Recife-PE, Brazil), T. Sakamoto and N. Okamoto (Tokyo, Japan)	203
Husbandry and Management	
Effect of feeding frequency on growth, survival and feed utilization in mrigal, <i>Cirrhinus mrigala</i> , and rohu, <i>Labeo rohita</i> , during nursery rearing G. Biswas, J.K. Jena, S.K. Singh, P. Patmajhi and H.K. Muduli (Bhubaneswar, India)	211
Formation and early development of tetraspores of <i>Gracilaria lemaneiformis</i> (Gracilaria, Gracilariaceae) under laboratory conditions N. Ye, H. Wang and G. Wang (Qingdao, China)	219
Buckets of mucklets: A compact system for rearing juvenile freshwater mussels M.C. Barnhart (Springfield, MO, U.S.A.)	227
Occurrence of persistent organic pollutants in sediments collected near fish farm sites P.J. Sather, M.G. Ikonomou and K. Haya (British Columbia, New Brunswick, Canada)	234
Growth of <i>Gracilaria lemaneiformis</i> under different cultivation conditions and its effects on nutrient removal in Chinese coastal waters Y.-F. Yang, X.-G. Fei, J.-M. Song, H.-Y. Hu, G.-C. Wang (Guangzhou, Qingdao, China) and I.K. Chung (Busan, Korea)	248
Experimental reseeded of juvenile spiny lobsters (<i>Jasus edwardsii</i>): Comparing survival and movement of wild and naïve lobsters at multiple sites D.J. Mills, C. Gardner and C.R. Johnson (Private Bay, Hobart, Australia)	256
The influence of culture method and culture period on quality of half-pearls ('mabé') from the winged pearl oyster <i>Pteria sterna</i> , Gould, 1851 H. Ruiz-Rubio (La Paz, México), H. Acosta-Salmon (La Paz, México; Townsville, Queensland, Australia), A. Olivera (La Paz, México), P.C. Southgate (Townsville, Queensland, Australia) and C. Rangel-Dávalos (La Paz, Instituto Nacional de Pesca, México)	269
Responses of cobia <i>Rachycentron canadum</i> larvae to abrupt or gradual changes in salinity C.K. Faulk and G.J. Holt (Port Arkansas, TX, United States)	275
The performance of the seaweed <i>Ulva reticulata</i> as a biofilter in a low-tech, low-cost, gravity generated water flow regime in Zanzibar, Tanzania F.E. Msuya, M.S. Kyewalyanga and D. Salum (Zanzibar, Tanzania)	284
Common octopus (<i>Octopus vulgaris</i> Cuvier, 1797) juvenile on-growing in floating cages C. Rodriguez, J.F. Carrasco, J.C. Arronte and M. Rodriguez (Asturias, Spain)	293
Evaluation of different shallow water culture methods for the scallop <i>Nodipecten subnodosus</i> using biologic and economic modeling M.H. Taylor (Bremen, Germany), V. Koch (La Paz, Mexico), M. Wolff (Bremen, Germany) and F. Sinsel (La Paz, Mexico)	301
Preliminary investigation on the enrichment of heavy metals in marine sediments originated from intensive aquaculture effluents C. Mendiguchia, C. Moreno, M.P. Manuel-Vez and M. Garcia-Vargas (Cádiz, Spain)	317

The reproductive biology of the Manila clam, <i>Ruditapes philippinarum</i> , from the North-West of Ireland L. Drummond, M. Mulcahy and S. Culloty (Cork, Ireland)	326
Predation of hatchery-reared scallop spat (<i>Pecten maximus</i> L.) by the Ballan wrasse (<i>Labrus bergylta</i>)—consequences for sea ranching T. Strohmeier, G.G. Oppegård and Ø. Strand (Bergen, Norway)	341
Isoeugenol concentrations in rainbow trout (<i>Oncorhynchus mykiss</i>) skin-on fillet tissue after exposure to AQUI-S™ at different temperatures, durations, and concentrations J.R. Meinertz, S.L. Greseth, T.M. Schreier, J.A. Bernardy and W.H. Gingerich (La Crosse, Wisconsin, USA)	347
Mapping the demand-feeding pattern of hatchery-reared rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum) J. Bailey (Newfoundland, Canada) and A. Alanärä (Umeå, Sweden)	355
Plasticity of attachment in the purple-hinge rock scallop, <i>Crassadoma gigantea</i> : Implications for commercial culture C.S. Culver, J.B. Richards and H.M. Page (Santa Barbara, CA, USA)	361
Fish stocking density impacts tank hydrodynamics A. Lurger (Blacksburg, VA, USA), M.R. Rasmussen, J. Laursen (Aalborg, Denmark) and E. McLean (Blacksburg, VA, USA)	370
Open sea cultivation of <i>Palmaria palmata</i> (Rhodophyta) on the northern Spanish coast B. Martinez, R.M. Viejo, J.M. Rico (Oviedo, Spain), R.H. Rødde (Trondheim, Norway), V.A. Faes, J. Oliveros and D. Álvarez (Oviedo, Spain)	376
Assessment of electrical stunning in fresh water of African Catfish (<i>Clarias gariepinus</i>) and chilling in ice water for loss of consciousness and sensibility E. Lambooi, R.J. Kloosterboer, M.A. Gerritzen and J.W. van de Vis (Lelystad, IJmuiden, The Netherlands)	388
Photoperiod in seawater influence seasonal growth and chemical composition in autumn sea-transferred Atlantic salmon (<i>Salmo salar</i> L.) given two vaccines F. Oppedal, A. Berg, R.E. Olsen, G.L. Taranger and T. Hansen (Matredal, Norway)	396
Quantifying aquaculture-derived organic matter in the sediment in and around a coastal fish farm using stable carbon and nitrogen isotope ratios H. Yokoyama, K. Abo and Y. Ishihi (Mie, Japan)	411
Optimal production schedule in commercial shrimp culture R. Yu, P. Leung and P. Bienfang (Honolulu, HI, USA)	426
Quality evaluation of <i>Artemia urmiana</i> Günther (Urmia Lake, Iran) with special emphasis on its particular cyst characteristics (International Study on <i>Artemia</i> LXIX) T.J. Abatzopoulos, A.D. Baxevas, G.V. Triantaphyllidis (Thessaloniki, Athens, Greece), G. Criel, E.L. Pador, G. Van Stappen and P. Sorgeloos (Gent, Belgium)	442
Nutrition	
Modelling digestible phosphorus content of salmonid fish feeds K. Hua and D.P. Bureau (Ontario, Canada)	455
Dietary incorporation of soybean meal and exogenous enzyme cocktail can affect physical characteristics of faecal material egested by rainbow trout (<i>Oncorhynchus mykiss</i>) A.E. Ogunkoya (Ontario, Canada; Lagos, Nigeria), G.I. Page (Ontario, Canada), M.A. Adewolu (Lagos, Nigeria) and D.P. Bureau (Ontario, Canada)	466
Dietary zinc requirements of grass shrimp, <i>Pennaeus monodon</i> , and effects on immune responses S.-Y. Shiau and L.-C. Jiang (Taichung County, Keelung, Taiwan)	476
The effect of dietary protein on consumption, survival, growth and production of the sea urchin <i>Lytechinus variegatus</i> H. Hammer, S. Watts (Birmingham, AL, United States), A. Lawrence (Port St. Port Aransas, United States), J. Lawrence (Tampa, FL, United States) and R. Desmond (Birmingham, Alabama, United States)	483
Effect of dietary conjugated linoleic acid on muscle, liver and visceral lipid deposition in rainbow trout juveniles (<i>Oncorhynchus mykiss</i>) N.M. Bandarra, M.L. Nunes, A.M. Andrade, J.A.M. Prates, S. Pereira, M. Monteiro, P. Rema and L.M.P. Valente (Lisboa, Vila Real, Porto, Portugal)	496
Influence of repetitive periods of fasting and satiation feeding on growth and production characteristics of channel catfish, <i>Ictalurus punctatus</i> R.C. Reigh, M.B. Williams and B.J. Jacob (Raton Rouge, LA, USA)	506
Optimization of dipeptide-protein mixtures in experimental diet formulations for rainbow trout (<i>Oncorhynchus mykiss</i>) alevins B.F. Terjesen (Columbus, OH, USA; Sunndalsora, Norway), K.-J. Lee (Columbus, OH, USA; Jeju, South Korea), Y. Zhang, M. Failla and K. Dabrowski (Columbus, OH, USA)	517
Effects of various algal diets and starvation on larval growth and survival of <i>Meretrix meretrix</i> B. Tang, B. Liu, G. Wang, T. Zhang and J. Xiang (Qingdao, Beijing, China)	526

Protein content and amino acid composition of the live feed rotifer (<i>Brachionus plicatilis</i>): With emphasis on the water soluble fraction A. Srivastava (Bergen, Norway; Delhi, India), K. Hamre, J. Stoss (Øystrestrand, Norway), R. Chakrabarti (Delhi, India) and S.K. Tonheim (Bergen, Norway)	534
Nutritional value of six Pavlovophyceae for <i>Crassostrea gigas</i> and <i>Pecten maximus</i> larvae E. Ponis, I. Probert, B. Véron, J.R. Le Coz, M. Mathieu and R. Robert (Landunvez, Caen Cedex, Brest, France)	544
Effects of age and dietary protein level on digestive enzyme activity and gene expression of <i>Pelteobagrus fulvidraco</i> larvae C. Wang, S. Xie, X. Zhu, W. Lei, Y. Yang and J. Liu (Hubie, P.R., China)	554
Physiology and Endocrinology	
Preliminary study on the phagocytic ability of <i>Octopus vulgaris</i> Cuvier, 1797 (Mollusca: Cephalopoda) haemocytes in vitro H. Rodriguez-Dominguez, M. Soto-Búa, R. Iglesias-Blanco, C. Crespo-González, C. Arias-Fernández and J. Garcia-Estévez (Vigo, Spain)	563
Impact of food availability on energy storage and defense related hemocyte parameters of the Pacific oyster <i>Crassostrea gigas</i> during an experimental reproductive cycle M. Delaporte, P. Soudant, C. Lambert, J. Moal, S. Pouvreau and J.-F. Samain (Plouzané, France)	571
Non-invasive assessment of reproductive status and cycle of sex steroid levels in a captive wild broodstock of Senegalese sole <i>Solea senegalensis</i> (Kaup) A. García-López, V. Anguis (Cádiz, Spain), E. Couto, A.V.M. Canario (Faro, Portugal), J.P. Cañavate, C. Sarasquete and G. Martínez-Rodríguez (Cádiz, Spain)	583
Effect of environmental factors on swimming depth preferences of Atlantic salmon (<i>Salmo salar</i> L.) and temporal and spatial variations in oxygen levels in sea cages at a fjord site D. Johansson (Mattedal, Norway), K. Ruohonen (Turku, Finland), A. Kiessling (Aas, Norway; Ömeå, Sweden), F. Oppedal, J.-E. Stiansen, M. Kelly and J.-E. Juell (Mattedal, Norway)	594
Diploid and triploid Pacific oysters, <i>Crassostrea gigas</i> (Thunberg), reared at two heights above sediment in Marennes-Oleron Basin, France: Difference in mortality, sexual maturation and hemocyte parameters B. Gagnaire, P. Soletchnik, P. Madec, P. Geairon, O. Le Moine and T. Renault (La Tremblade, France)	606
Temperature-dependent sex differentiation in goldfish: Establishing the temperature-sensitive period and effect of constant and fluctuating water temperatures R. Goto-Kazeto, Y. Abe, K. Masai, E. Yamaha, S. Adachi and K. Yamauchi (Hokkaido, Japan)	617
A decrease in photoperiod shortly after first feeding influences the development of Atlantic salmon (<i>Salmo salar</i>) I.K. Berrill (Scotland), A. Smart (Melrose, South Australia, Australia), M.J.R. Porter (Lauceston, Tas., Australia) and N.R. Bromage (Scotland)	625
Gonadal development and biochemical composition of female crayfish <i>Cherax quadricarinatus</i> (Decapoda: Parastacidae) in relation to the Gonadosomatic Index at first maturation H. Rodriguez-González, A. Hernández-Llamas, H. Villarreal, P.E. Saucedo, M. García-Ulloa and C. Rodríguez-Jaramillo (La Paz, Jalisco, México)	637
Bulk oxygen uptake measured with over 60,000 kg of adult salmon during live-haul transportation at sea A.P. (Tony) Farrell (West Vancouver, Canada)	646
Relationship between blood and muscle levels of astaxanthin in dorsal aorta cannulated Atlantic salmon A. Kiessling (Ömeå, Sweden; Ås, Norway, West Vancouver, Canada), B. Dosanjh (West Vancouver, Surrey, Canada), W. Koppe (Stavanger, Norway) and D. Higgs (West Vancouver, Canada)	653
Genistein and other isoflavones found in soybeans inhibit estrogen metabolism in salmonid fish Y. Ng, S. Hanson, J.A. Malison, B. Wentworth and T.P. Barry (Madison, WI, USA)	658
Equal contribution of hepatopancreas and ovary to the production of vitellogenin (PmVg1) transcripts in the tiger shrimp, <i>Penaeus monodon</i> S.H.K. Tiu, J.H.L. Hui, A.S.C. Mak (Pokfulam Road, Hong Kong), J.-G. He (Guangzhou, PR China) and S.-M. Chan (Pokfulam Road, Hong Kong)	666
Anesthetic efficacy of tricaine methanesulfonate, metomidate and eugenol: Effects on plasma cortisol concentration and neutrophil function in fathead minnows (<i>Pimephales promelas</i> Rafinesque, 1820) D. Palič, D.M. Herolt, C.B. Andreasen (Ames, IA, United States), B.W. Menzel (Waterfront Centre, Washington D.C., United States) and J.A. Roth (Ames, IA, United States)	675
Ingestion, assimilation and utilization of raw <i>Spirulina</i> by larval tilapia <i>Oreochromis niloticus</i> during larval development J. Lu (Tokyo, Japan; Shanghai, China), T. Takeuchi and H. Satoh (Tokyo, Japan)	686
Norepinephrine induces transient modulation of the physiological responses of whiteleg shrimp, <i>Litopenaeus vannamei</i> S.-P. Yeh, H.-T. Chiu and W. Cheng (Pingtung, Taiwan)	693
The effect of temperature on gonad, embryonic development and survival rate of juvenile seahorses, <i>Hippocampus kuda</i> Bleeker Q. Lin, J. Lu, Y. Gao, L. Shen, J. Cai and J. Luo (Guangzhou, The People's Republic of China)	701

Effect of cold storage upon eggs of a calanoid copepod, <i>Acartia tonsa</i> (Dana) and their offspring G. Drillet, M.H. Iversen, T.F. Sørensen, H. Ramløv, T. Lund and B.W. Hansen (Roskilde, Denmark)	714
Influence of dietary digestible energy content on growth, protein and energy utilization and body composition of growth hormone transgenic and non-transgenic coho salmon (<i>Oncorhynchus kisutch</i>) P.A. Raven, R.H. Devlin and D.A. Higgs (West Vancouver, Canada)	730
Oxytetracycline residues in cultivated marine shrimp (<i>Litopenaeus vannamei</i> Boone, 1931) (Crustacea, Decapoda) submitted to antibiotic treatment A.C. Nogueira-Lima, T.C.V. Gesteira and J. Mafezoli (Ceará, Brazil)	748
Antioxidant enzymes and lipid peroxidation in sturgeon <i>Acipenser naccarii</i> and trout <i>Oncorhynchus mykiss</i> . A comparative study C. Trenzado, M.C. Hidalgo, M. García-Gallego, A.E. Morales, M. Furné, A. Domezain, J. Domezain and A. Sanz (Granada, Spain)	758
17 α -Hydroxyprogesterone induced ovarian growth and vitellogenesis in the freshwater rice field crab <i>Oziotelphusa senex senex</i> P. Ramachandra Reddy, P. Kiranmayi, K. Thanuja Kumari and P. Sreenivasula Reddy (India)	768
Contents of <i>Aquaculture</i>, Volume 254	776

